

SAFETY DATA SHEET

Issuing Date: 05-04-2015

Revision Date: 01-08-2015

Version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s): Product Name Product Registration number	05048133-M HOUGHTO-DRIVE HM3
Denmark	-
Norway	-
Sweden	-
EC #	Not Applicable
Pure substance/preparation	Contains Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Hydraulic Fluid, Oil based

Uses advised against

st Any other purpose.

1.3. Details of the supplier of the safety data sheet

Manufacturer, Importer, Supplier

Houghton plc Beacon Road Trafford Park Manchester M17 1AF Tel: +44 (0)161 874 5000 E-mail: MSDS@uk.houghtonglobal.com

Houghton Deutschland GmbH Giselherstr. 57. D-44319. Dortmund Deutschland Tel: +49 (0) 231/9277-0. Fax: +49 (0)231/9277-120 MSDS@houghtonintl.com

Oel-Scheu Houghton Vertriebspartner GmbH Hubstrasse 33 9500 Wil Switzerland Telefon: 071 911 47 47 Telefax: 071 911 18 37

Houghton S.A.S. 604 Bd Albert Camus, BP 60041 69652 Villefranche sur saone France Tel: (0) 4 74 65 65 00 Fax. (0) 4 74 60 08 44

Ragione Sociale: Houghton Italia S.p.A. Indirizzo: Via Postiglione, 30 10024 Moncalieri (TO) ITALY Telefono: (+39) 011 6475811. Fax: (+39) 0116472778. ITTN-MSDS@houghtonintl.com

Houghton Polska SP z.o.o UlKapelanka 17 30-347 Krakow Poland +48 122665240 info@houghton.com.pl Houghton Iberica S.A. Pol. Ind. Can Salvatella-TorreMateu 08210 Barbera del Valles Barcelona SPAIN Tel: +(34 93) 718 85 00 Fax: +(34 93) 718 93 00 msds.es@houghtonintl.com

Houghton Benelux Meerpaal 12 A. NL - 4904.SK Oosterhout. Telefoon: +31 162458400 Fax: +31 162 458205 Email: Marielle.Goossens@houghtonintl.com

HOUGHTON EUROPE N.V Sivuliike Suomessa Lautamiehentie 3 02770 ESPOO Puh. 00-8596 395 Fax. 09-8596 396 LY: 1957249-8 E-mail: info@houghton.fi

Houghton Danmark A/S Energivej 3 DK-4180 Sorø Danmark Tel: +45 45 85 23 00 E-mail: houghton@houghton.dk

Houghton CZ s.r.o. Bartošova 3 602 00 Brno Czech Republic Phone: +420 542 213 332 office@houghton.cz

Houghton Kimya San. A.S Kosuyolu Mah Asma Dall Sok No: 1434718 Kadıköy İstanbul Türkiye Phone Number: +90 216 325 15 15

1.4. Emergency telephone number

3E Company: (+)1 760 476 3961 (Code 333938)

Mento AS Kontinentalveien Postboks 44 4098 Tananger Norway Tel: +47 51 64 86 00 www.Mento.no

Houghton Romania 2A, Jiului Street 4th Floor / Room 2 013219 Bucharest Phone: +40 21 667 06 15 Fax: +40 21 667 09 70

Houghton Sverige AB La Cours Gata 4 252 31 Helsingborg Sverige Tel: +46 42 29 55 10 E-mail: info.se@houghtonintl.com

Houghton Ukraine Ltd Ukraine, Kiev 04213 13, Prirechnaya St. Phone: +38 (044) 360-10-24 Fax: +38 (044) 426-27-76

Austria	Notfall-Telefonnummer +43 (0) 1 406 4343
Bulgaria	Телефон за спешни случаи +359 2 9154 409
Switzerland	145; +41 (0) 44 254 51 51
Czech Republic	Telefonní číslo pro naléhavé situace +420 224 919 293
Denmark	Ring til Giftlinjen på +45 82 12 12 12
Finland	Hätäpuhelinnumero +358 09 471 977
France	Numéro d'appel d'urgence +33 (0)1 45 42 5959
Hungary	Díjmentesen hívható zöld szám +36 80 20 11 99
Ireland	Emergency telephone number +353 01 809 2166
Netherlands	Telefoonnummer voor +31 30 274 88 88
Norway	Nødnummer +47 22 59 13 00
Poland	112
Portugal	Número de telefone de emergência +351 808 250 143
Romania	Număr de telefon care poate fi apelat în caz de urgență +021 318 36 06 (08:00-15:00)
Spain	Número de teléfono de emergencia +34 91 562 0420
Sweden	Telefonnummer för nödsituationer +46 08 33 12 31 (09:00-17:00)
Turkey	(+)1 760 476 3959 (Code 333938)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aspiration toxicity

Category 1 - (H304)

2.2. Label Elements

Contains Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)



Signal Word DANGER

Hazard Statements

H304 - May be fatal if swallowed and enters airways EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU (§28, 1272/2008)

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician P331 - Do NOT induce vomiting

2.3. Other hazards

No information available.

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0.03992 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0.07984 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0.07984 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0.07984 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

SECTION 3: Composition/information on ingredients

3.1. Substances / 3.2. Mixtures

This product is a mixture. Health hazard information is based on its ingredients

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)	-	-	50% - 100%	Asp. Tox. 1 (H304) (EUH066)	-

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346 See Section 15 for additional information on base oils.

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first-aid measures

General advice	Immediate medical attention is required. Do not get in eyes, on skin, or on clothing.
Inhalation	Move to fresh air. Potential for aspiration if swallowed. Get medical attention immediately if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

IngestionDo not induce vomiting without medical advice. Clean mouth with water and afterwards
drink plenty of water. Aspiration hazard if swallowed - can enter lungs and cause damage. If
symptoms persist, call a physician.Protection of First-aidersUse personal protective equipment. Avoid contact with skin, eyes and clothing.4.2. Most important symptoms and effects, both acute and delayedMay be fatal if swallowed and enters airwaysMain SymptomsMay be fatal if swallowed and enters airways4.3. Indication of immediate medical attention and special treatment neededTreat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment:, Use CO2, dry chemical, or foam, Water spray or fog, Cool containers / tanks with water spray

Extinguishing media which shall not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special Hazard

In the event of fire and/or explosion do not breathe fumes. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Cool containers / tanks with water spray. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Decomposition Products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Advice for non-emergency Material can create slippery conditions. personnel

Advice for emergency responders For personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Dike to collect large liquid spills.

After cleaning, flush away traces with water.

6.4. <u>Reference to other sections</u>

See Section 8/12/13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Keep away from open flames, hot surfaces and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition.

Recommended Shelf Life

No information available.

Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

7.3. Specific end uses

Specific use(s)

Hydraulic Fluid, Oil based

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain
Highly refined, low viscosity base oil (Viscosity <7 cSt				VLA-EC: 10 mg/m ³ VLA-ED: 5 mg/m ³
@40°C)				

Chemical Name	Austria	Switzerland	Poland	Ireland
Highly refined, low viscosity				STEL: 10 mg/m ³
base oil (Viscosity <7 cSt				TWA: 5 mg/m ³
@40°C)				(Mist)

Chemical Name	Finland	Denmark	Norway	Sweden
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)	TWA: 5mg/m³ (Öljysumu)	TWA: 1 mg/m ³ (Olietåge)	TWA: 1 mg/m ³ (Oljetåke)	LLV: 1 mg/m ³ STV: 3 mg/m ³ (Oljedimma)

Hydrocarbon solvent vapor mixtures which do not have substance specific occupational exposure limits may be evaluated by the Reciprocal Calculation Procedure (RCP) which assigns a recommended occupational exposure limit based on the mass composition and hydrocarbon group guidance values (GGVs). Applicable recommended occupational exposure limits are shown in the table below.

Chemical Name	RCP OEL	Manufacturer

Distillates (petroleum), hydrotreated middle 64742-46-7	RCP: TWA 1200 mg/m ³ 143ppm	
Distillates (petroleum), hydrotreated light 64742-47-8	RCP: TWA 1200 mg/m ³ 182ppm	
Naphtha (petroleum), hydrotreated heavy 64742-48-9	RCP: TWA 1000 mg/m ³	
C12-C14 isoalkanes 68551-19-9	RCP: TWA 1200 mg/m ³	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	RCP C9-C15 aliphatics: 600mg/m ³	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	TWA: 600 mg/m³	
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0.03% aromatics NOT AVAILABLE	RCP C9-C15 aliphatics: 600mg/m ³	
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	TWA: 150ppm TWA: 1200 mg/m³	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics NOT AVAILABLE	TWA: 171 ppm TWA: 1200 mg/m ³	
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics NOT AVAILABLE	RCP C9-C15 aliphatics: 600mg/m ³	
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	TWA: 165 ppm TWA: 1200 mg/m³	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	RCP: TWA 1200 mg/m ³ 182ppm	
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics NOT AVAILABLE	RCP: TWA 600 mg/m ³	
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	RCP: TWA 600 mg/m ³	

Workers Systemic toxicity

Workers Local effects

Consumers Systemic toxicity

Consumers Local effects

Predicted No Effect Concentration (PNEC)

8.2. Exposure controls	
Engineering Measures	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment	
Eye Protection	Safety glasses with side-shields.
Hand Protection	Protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Barrier creams may help to protect the exposed areas of skin, they should however not be applied once exposure has occurred.
Skin and body protection	Long sleeved clothing.
Respiratory protection	No special protective equipment required. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hygiene measures

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls Thermal hazards No special environmental precautions required. None under normal use conditions

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state @20°C Odor	liquid Hydrocarbon-like	Appearance Odor Threshold	amber Not Applicable
Property pH Melting Point / Freezing Point			<u>Note</u>
Boiling point/boiling range Flash point Evaporation rate Flammability (solid, gas)	 > 150 °C / > 302 °F > 100 °C / > 212 °F No information available No information available 		Open cup negligible
Flammability Limits in Air upper flammability limit Lower flammability limit	No information available No information available	-	
Vapor pressure	No information available		
Vapor density Relative density	No information available 0.82 Immiscible in water).	@15.5°C
Solubility(ies) Partition coefficient: n-octand			
Autoignition temperature	No information available		
Decomposition temperature Viscosity, kinematic Explosive properties Oxidizing Properties	No information available 3.0 cSt @ 40 °C Not Applicable Not Applicable		ISO 3104 ISO 3105
9.2 Other information			
Viscosity, kinematic (100°C) Pour point VOC Content	No information available No information available No information available	9	

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal use conditions

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition

10.5. Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Product Information - Principle Routes of Exposure

Inhalation	Risk of serious damage to the lungs (by aspiration)
Eye contact	None known
Skin contact	None known
Ingestion	Risk of product entering the lungs on vomiting after ingestion

Acute toxicity - Product Information

May be harmful if swallowed and enters airways.

Acute toxicity - Component Information

Chemical Name	LD50 Oral (Rat)	LD50 Dermal (Rat/Rabbit)	LC50 Inhalation
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	

Skin corrosion/irritation	None known.
Serious eye damage/eye irritation	None known.
Sensitization Respiratory Sensitization Skin sensitization	None known. None known.
Germ Cell Mutagenicity	None known.
Carcinogenicity	None known.
Reproductive toxicity	None known.
Specific target organ systemic toxicity (single exposure)	None known
Specific target organ systemic toxicity (repeated exposure)	None known.
Aspiration hazard	Risk of serious damage to the lungs (by aspiration).
Symptoms	May be fatal if swallowed and enters airways. Prolonged skin contact may defat the skin and produce dermatitis.

SECTION 12: Ecological information

12.1. <u>Toxicity</u>

No special environmental measures are necessary.

12.2. Persistence and degradability

The product is not readily biodegradable, but it can be degraded by micro-organisms, it is regarded as being inherently biodegradable.

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues / Unused Products	Dispose of as hazardous waste in compliance with local and national regulations
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Observe all label precautions until container is cleaned, reconditioned or destroyed.
Other Data	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

14.1. UN-Number

Not regulated

14.2. UN proper shipping name

Not regulated

14.3. Transport hazard class

Not regulated

14.4. Packing group

Not regulated

14.5. Environmental Hazards

None.

14.6. Special precautions for users

None.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

IMDG/IMO	Not regulated
----------	---------------

ADR/RID Not regulated

ICAO/IATA Not regulated

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

Statutory Instruments: Control of Substances Hazardous to Health Regulations 2002. Chemicals (Hazard Information and Packaging) Regulations 2009.

Acts of Parliament: The Health and Safety at Work etc. Act 1974. Environment Protection Act 1990.

Regulation on classification, labeling. of hazardous chemicals (2002 changing 2005). Appendix VI to Regulation on classification, labeling etc. of hazardous chemicals (2002 changing 2010), list of hazardous substances (as amended). Guidelines for submission and declaration of hazardous waste (2009). Transport of dangerous goods: ADR, RID, IMDG and IATA. Administrative norms for pollution of the atmosphere, 2009.

Workplace exposure limits (EH40)

WGK Classification

Low hazard to water/Class 1

Chemical Name	CAS-No	EC-No	REACH Registration Number
Distillates (petroleum), hydrotreated middle	64742-46-7	934-956-3	01-2119827000-58-xxxx
Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	64742-46-7	932-078-5	01-2119552497-29-xxxx
Distillates (petroleum), hydrotreated light	64742-47-8	265-149-8	01-2119456620-43-xxxx
Naphtha (petroleum), hydrotreated heavy	64742-48-9	265-150-3	01-2119457273-39-xxxx
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	265-156-6	01-2119480375-34-xxxx
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	265-158-7	01-2119487077-29-xxxx
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9	265-159-2	01-2119480132-48-xxxx
C12-C14 isoalkanes	68551-19-9	271-369-5	
White mineral oil (petroleum)	8042-47-5	232-455-8	01-2119487078-27-xxxx
C18-C50 branched, cyclic and linear hydrocarbons – Distillates	848301-69-9	482-220-0	01-0000020163-82-xxxx
Alkanes, C14-16	90622-46-1	292-448-0	
Alkanes, C12-26-branched and linear	90622-53-0	292-454-3	
Alkanes, C11-15-iso-	90622-58-5	292-460-6	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE	926-141-6	01-2119456620-43-xxxx

The highly refined, low viscosity base oil (Viscosity <7 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

Revision Date: 01-08-2015

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE	918-481-9	01-2119457273-39-xxxx
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0.03% aromatics	NOT AVAILABLE	934-954-2	01-2119826592-36-xxxx
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE	920-107-4	01-2119453414-43-xxxx
Hydrocarbons, C11-C14, n-alkanes, <2% aromatics	NOT AVAILABLE	924-803-9	01-2119485647-22-xxxx
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	NOT AVAILABLE	920-901-0	01-2119456810-40-xxxx
Hydrocarbons, C14-C18, n-alkanes, cyclics, aromatics (2-30%)	NOT AVAILABLE	920-360-0	01-2119448343-41-xxxx
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	NOT AVAILABLE	918-167-1	01-2119472146-39-xxxx
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE	927-285-2	01-2119480162-45-xxxx
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE	927-676-8	01-2119456377-30-xxxx
Hydrocarbons, C13-C16, isoalkanes, cyclics, < 2% aromatics	NOT AVAILABLE	918-973-3	01-2119458871-30-xxxx
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics	NOT AVAILABLE	934-956-3	01-2119827000-58-xxxx
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE	927-632-8	01-2119457736-27-xxxx

15.2. Chemical Safety Assessment

No information available.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Repr.-Reproduction toxicity Asp. Tox. - Aspiration Toxicity Acute Tox. - Acute Toxicity Aquatic Acute - Acute Aquatic Toxicity Aquatic Chronic - Chronic Aquatic Toxicity Eye Dam. - Eye Damage Eye Irrit. - Eye Irritation Skin Corr. - Skin Corrosion Skin Irrit. - Skin Irritation Skin Sens. - Skin Sensitizer Resp. Sens. - Respiratory Sensitizer STOT SE - Specific target organ systemic toxicity (Single exposure) STOT RE - Specific target organ systemic toxicity (repeated exposure) VOC - Volatile organic compounds

Full text of H-Statements referred to under sections 2 and 3

 H341 - Suspected of causing genetic defects
H350 - May cause cancer
 H351 - Suspected of causing cancer
 H360 - May damage fertility or the unborn child
 H361 - Suspected of damaging fertility or the unborn child
 H362 - May cause harm to breast-fed children
 H370 - Causes damage to organs
 H371 - May cause damage to organs
 H372 - Causes damage to organs through prolonged or repeated
exposure
 H373 - May cause damage to organs through prolonged or repeated
exposure
H400 - Very toxic to aquatic life
 H410 - Very toxic to aquatic life with long lasting effects
 H411 - Toxic to aquatic life with long lasting effects
 H412 - Harmful to aquatic life with long lasting effects
 H413 - May cause long lasting harmful effects to aquatic life.
 H360Df - May damage the unborn child. Suspected of damaging fertility
 H360D - May damage the unborn child
 H360FD - May damage fertility. May damage the unborn child
 H360F - May damage fertility
 H361d - Suspected of damaging the unborn child
 H361fd - Suspected of damaging fertility. Suspected of damaging the
unborn child
 H361f - Suspected of damaging fertility
 EUH066 - Repeated exposure may cause skin dryness or cracking
 EUH210 - Safety data sheet available on request.
 EUH208 - May produce an allergic reaction

Exposure scenario

No information available.

Issuing Date:	05-04-2015
Revision Date:	01-08-2015

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.