

SAFETY DATA SHEET

Issuing Date: no data available **Revision Date: 11-06-2014** Version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.

Product identifier

34050504-M Product Code(s):

Product Name HOUGHTO-QUENCH C 102

Product Registration number

Denmark Norway Sweden

EC# See Section 15 for additional information on base oils. Not Applicable

Pure substance/preparation Contains Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt

@40°C)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Quenching: Oil based

Any other purpose. Uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer, Importer, Supplier

Houghton S.A.S. Houghton plc Beacon Road 604 Bd Albert Camus,

Trafford Park BP 60041 Manchester 69652 Villefranche sur saone

M17 1AF

France Tel: (0) 4 74 65 65 00 Tel: +44 (0)161 874 5000

E-mail: MSDS@uk.houghtonglobal.com Fax. (0) 4 74 60 08 44

Houghton Deutschland GmbH

Giselherstr. 57. D-44319. Dortmund

Deutschland

Tel: +49 (0) 231/9277-0. Fax: +49 (0)231/9277-120 MSDS@houghtonintl.com Ragione Sociale: Houghton Italia S.p.A.

Indirizzo: Via Postiglione, 30

10024 Moncalieri (TO)

ITALY

Telefono: (+39) 011 6475811. Fax: (+39) 0116472778.

ITTN-MSDS@houghtonintl.com

Oel-Scheu Houghton Vertriebspartner GmbH

Hubstrasse 33 9500 Wil Switzerland

Telefon: 071 911 47 47 Telefax: 071 911 18 37 Houghton Polska SP z.o.o

UlKapelanka 17 30-347 Krakow Poland +48 122665240 info@houghton.com.pl HOUGHTON EUROPE N.V Sivuliike Suomessa

Meerpaal 12 A. NL - 4904.SK Oosterhout.

Email: Marielle.Goossens@houghtonintl.com

Lautamiehentie 3 02770 ESPOO Puh. 00-8596 395 Fax. 09-8596 396 LY: 1957249-8

Houghton Iberica S.A.

Barcelona

SPAIN

08210 Barbera del Valles

Tel: +(34 93) 718 85 00

Fax: +(34 93) 718 93 00 msds.es@houghtonintl.com

Telefoon: +31 162458400

Houghton Benelux

Fax: +31 162 458205

Pol. Ind. Can Salvatella-TorreMateu

E-mail: info@houghton.fi

Houghton Danmark A/S Energivej 3 DK-4180 Sorø Danmark Tel: +45 45 85 23 00

E-mail: houghton@houghton.dk

Houghton CZ s.r.o. Bartošova 3 602 00 Brno Czech Republic Phone: +420 542 213 332

office@houghton.cz Houghton Kimya San. A.S

Asma Dall Sok No: 1434718 Kadıköy İstanbul Türkiye

Kosuyolu Mah

Phone Number: +90 216 325 15 15

Mento AS Kontinentalveien Postboks 44 4098 Tananger Norway Tel: +47 51 64 86 00

www.Mento.no

Houghton Romania 2A, Jiului Street 4th Floor / Room 2 013219 Bucharest Phone: +40 21 667 06 15 Fax: +40 21 667 09 70

Houghton Sverige AB La Cours Gata 4 252 31 Helsingborg Sverige

Tel: +46 42 29 55 10

E-mail: info.se@houghtonintl.com

Revision Date: 11-06-2014

Houghton Ukraine Ltd Ukraine, Kiev 04213 13, Prirechnaya St.

Phone: +38 (044) 360-10-24 Fax: +38 (044) 426-27-76

1.4. Emergency telephone number

3E Company: (+)1 760 476 3961 (Code 333938)

| Austria | Notfall-Telefonnummer +43 (0) 1 406 4343 | |
|----------------|--|--|
| Bulgaria | Телефон за спешни случаи +359 2 9154 409 | |
| Switzerland | rland 145; +41 (0) 44 254 51 51 | |
| Czech Republic | Telefonní číslo pro naléhavé situace +420 224 919 293 | |
| Denmark | Ring til Giftlinjen på +45 82 12 12 12 | |
| Finland | Hätäpuhelinnumero +358 09 471 977 | |
| France | Numéro d'appel d'urgence +33 (0)1 45 42 5959 | |
| Hungary | Díjmentesen hívható zöld szám +36 80 20 11 99 | |
| Ireland | Emergency telephone number +353 01 809 2166 | |
| Netherlands | Telefoonnummer voor +31 30 274 88 88 | |
| Norway | Nødnummer +47 22 59 13 00 | |
| Poland | 112 | |
| Portugal | Número de telefone de emergência +351 808 250 143 | |
| Romania | Număr de telefon care poate fi apelat în caz de urgență +021 318 36 06 (08:00-15:00) | |
| Spain | Número de teléfono de emergencia +34 91 562 0420 | |
| Sweden | Telefonnummer för nödsituationer +46 08 33 12 31 (09:00-17:00) | |
| Turkey | (+)1 760 476 3959 (Code 333938) | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

2.2. Label Elements

Contains Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)

EUH210 - Safety data sheet available on request.

Revision Date: 11-06-2014

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances / 3.2. Mixtures

This product is a mixture. Health hazard information is based on its ingredients

| Chemical Name | EC-No | CAS-No | Weight % | Classification (Reg. 1272/2008) | REACH Registration Number |
|---|-------|--------|------------|------------------------------------|---------------------------------|
| Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C) | - | - | 50% - 100% | Asp. Tox. 1 (H304) (EUH066) | - |
| Highly refined base oil (Viscosity >20.5 cSt @40°C) | - | - | 25% - 50% | ** | - |

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346 See Section 15 for additional information on base oils.

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first-aid measures

General advice If symptoms persist, call a physician.

Inhalation Move to fresh air.

Wash off immediately with soap and plenty of water. Remove and wash contaminated Skin contact

clothing before re-use.

Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while Eye contact

rinsing.

Ingestion Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting

without medical advice.

Protection of First-aiders Use personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Main Symptoms None

4.3. Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment:, Use water spray, fog, Carbon dioxide, foam or dry chemical, Cool containers / tanks with water spray, Use CO2, dry chemical, or foam, Water spray or fog

Revision Date: 11-06-2014

Extinguishing media which shall not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special Hazard

Combustible material. In the event of fire and/or explosion do not breathe fumes. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). This material creates a fire hazard because it floats on water. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Decomposition Products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ensure adequate ventilation.

Advice for non-emergency

Material can create slippery conditions.

personnel

Advice for emergency responders For personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

After cleaning, flush away traces with water.

6.4. Reference to other sections

See Section 8/12/13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Keep away from open flames, hot surfaces and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition.

Recommended Shelf Life

No information available.

Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

7.3. Specific end uses

Specific use(s) Quenching: Oil based

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Chemical Name | European Union | United Kingdom | France | Spain |
|---|----------------|----------------|--------|-------------------------------------|
| Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C) | | | | VLA-EC: 10 mg/m³ VLA-ED: 5 mg/m³ |
| Highly refined base oil (Viscosity >20.5 cSt @40°C) | | | | VLA-EC: 10 mg/m³ VLA-ED: 5 mg/m³ |

| Chemical Name | Austria | Switzerland | Poland | Ireland |
|---|---------|-------------|--------|--|
| Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C) | | | | STEL: 10 mg/m³ TWA: 5 mg/m³ (Mist) |
| Highly refined base oil (Viscosity >20.5 cSt @40°C) | | | | STEL: 10 mg/m³ TWA: 5 mg/m³ (Mist) |

| Chemical Name | Finland | Denmark | Norway | Sweden |
|--|------------------------|-------------------------|-------------------------|---|
| Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C) | TWA: 5mg/m³ (Öljysumu) | TWA: 1 mg/m³ (Olietåge) | TWA: 1 mg/m³ (Oljetåke) | LLV: 1 mg/m³ STV: 3 mg/m³ (Oliedimma) |
| Highly refined base oil (Viscosity >20.5 cSt @40°C) | TWA: 5mg/m³ (Öljysumu) | TWA: 1 mg/m³ (Olietåge) | TWA: 1 mg/m³ (Oljetåke) | LLV: 1 mg/m³ STV: 3 mg/m³ (Oljedimma) |

| Chemical Name | RCP OEL | Manufacturer |
|---|--|--------------|
| Distillates (petroleum), hydrotreated middle 64742-46-7 | RCP: TWA 1200 mg/m ³ 143ppm | |

Workers Systemic toxicity

Workers Local effects

Consumers Systemic toxicity

Consumers Local effects

Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye Protection Safety glasses with side-shields.

Hand Protection Protective gloves. Please observe the instructions regarding permeability and breakthrough

time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Barrier creams may help to protect the exposed areas of skin, they should

Revision Date: 11-06-2014

however not be applied once exposure has occurred.

Skin and body protection Long sleeved clothing.

suitable personal respiratory protection and protective suit.

Hygiene measures Do not eat, drink or smoke when using this product. Handle in accordance with good

industrial hygiene and safety practice.

Environmental Exposure Controls

No special environmental precautions required.

Thermal hazards

None under normal use conditions

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state @20°CliquidAppearancelight yellowOdorPetroleum distillatesOdor ThresholdNot Applicable

<u>Property</u> <u>Values</u> <u>Note</u>

pH Not applicable

Melting Point / Freezing Point < -10 °C / < 14 °F Boiling point/boiling range > 280 °C > 536 °F

Flash point 210 °C / 410 °F ASTM D 92 Open cup

No information available

Evaporation rate No information available negligible

Flammability (solid, gas)

Flammability Limits in Air

upper flammability limit 10% Lower flammability limit 1%

 Vapor pressure
 < 0.005</td>
 kPa @ 20 °C

 Vapor density
 < 1</td>
 @ 20 °C

 Relative density
 0.87
 g/cm3 @ 20 °C

Solubility(ies) Insoluble in water

Partition coefficient: n-octanol/water> 6

Autoignition temperature > 280 °C / > 536 °F

Decomposition temperature No information available

Viscosity, kinematic 30 cSt @ 40 °C ASTM D 445

Explosive propertiesNot ApplicableOxidizing PropertiesNot Applicable

9.2 Other information

Viscosity, kinematic (100°C)

Pour point

VOC Content

No information available
No information available
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal use conditions

10.4. Conditions to avoid

Heat, flames and sparks, Keep away from open flames, hot surfaces and sources of ignition

10.5. Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Product Information - Principle Routes of Exposure

InhalationNone knownEye contactNone knownSkin contactNone knownIngestionNone known

Acute toxicity - Product Information

Product does not present an acute toxicity hazard based on known information.

Acute toxicity - Component Information

| Chemical Name | LD50 Oral (Rat) | LD50 Dermal (Rat/Rabbit) | LC50 Inhalation |
|--|-----------------|--------------------------|-----------------|
| Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C) | >2000 mg/kg | >2000 mg/kg | |
| Highly refined base oil (Viscosity >20.5 cSt @40°C) | >2000 mg/kg | >2000 mg/kg | |

Skin corrosion/irritation None known.

Serious eye damage/eye irritation None known.

Sensitization

Respiratory Sensitization Skin sensitizationNone known.
None known.

Germ Cell Mutagenicity None known.

Carcinogenicity None known.

Reproductive toxicity None known.

Specific target organ systemic None known

toxicity (single exposure)

Specific target organ systemic toxicity (repeated exposure)

None known.

Aspiration hazard None known.

SECTION 12: Ecological information

12.1. Toxicity

No special environmental measures are necessary.

12.2. Persistence and degradability

The product is not readily biodegradable, but it can be degraded by micro-organisms, it is regarded as being inherently biodegradable.

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Dispose of in accordance with local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Observe all label precautions until container is cleaned, reconditioned or

destroyed.

Other Data According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

SECTION 14: Transport information

14.1. UN-Number

Not regulated

14.2. UN proper shipping name

Not regulated

14.3. Transport hazard class

Not regulated

14.4. Packing group

Not regulated

14.5. Environmental Hazards

None.

14.6. Special precautions for users

None.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Not regulated IMDG/IMO

Not regulated ADR/RID

ICAO/IATA Not regulated

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

Statutory Instruments: Control of Substances Hazardous to Health Regulations 2002. Chemicals (Hazard Information and Packaging) Regulations 2009.

Acts of Parliament: The Health and Safety at Work etc. Act 1974. Environment Protection Act 1990.

Regulation on classification, labeling. of hazardous chemicals (2002 changing 2005). Appendix VI to Regulation on classification, labeling etc. of hazardous chemicals (2002 changing 2010), list of hazardous substances (as amended). Guidelines for submission and declaration of hazardous waste (2009). Transport of dangerous goods: ADR, RID, IMDG and IATA. Administrative norms for pollution of the atmosphere, 2009.

Workplace exposure limits (EH40)

WGK Classification

Low hazard to water/Class 1

The highly refined base oil (Viscosity >20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

| Chemical Name | CAS-No | EC-No | REACH Registration Number |
|--|-------------|-----------|------------------------------|
| Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated | 101316-72-7 | 309-877-7 | 01-2119489969-06-xxxx |
| Lubricating oils (petroleum), used, noncatalytically refined | 101316-73-8 | 309-878-2 | 02-2119822310-56-xxxx |
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | 265-090-8 | |
| Residual oils (petroleum), solvent-refined | 64742-01-4 | 265-101-6 | 01-2119488707-21-xxxx |
| Extracts (petroleum), residual oil solvent | 64742-10-5 | 265-110-5 | 01-2119488175-30-xxxx |
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | 265-155-0 | 01-2119467170-45-xxxx |
| Distillates (petroleum), hydrotreated light naphthenic | 64742-53-6 | 265-156-6 | |

| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | 265-157-1 | 01-2119484627-25-xxxx |
|---|------------|-----------|-----------------------|
| Residual oils (petroleum), hydrotreated | 64742-57-0 | 265-160-8 | 01-2119489287-22-xxxx |
| Lubricating oils (petroleum), hydrotreated spent | 64742-58-1 | 265-161-3 | |
| Residual oils (petroleum), solvent-dewaxed | 64742-62-7 | 265-166-0 | 01-2119480472-38-xxxx |
| Distillates (petroleum), solvent-dewaxed heavy, paraffinic | 64742-65-0 | 265-169-7 | 01-2119471299-27-xxxx |
| Paraffin oils (petroleum), catalytic dewaxed heavy | 64742-70-7 | 265-174-4 | 01-2119487080-42-xxxx |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | 72623-86-0 | 276-737-9 | 01-2119474878-16-xxxx |
| Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based | 72623-87-1 | 276-738-4 | 01-2119474889-13-xxxx |
| Lubricating oils | 74869-22-0 | 278-012-2 | |
| Paraffin oils | 8012-95-1 | 232-384-2 | |
| White mineral oil (petroleum) | 8042-47-5 | 232-455-8 | 01-2119487078-27-xxxx |

The highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

| Chemical Name | CAS-No | EC-No | REACH Registration Number |
|---|---------------|-----------|------------------------------|
| Distillates (petroleum), straight-run middle | 64741-44-2 | 265-044-7 | |
| Distillates (petroleum), heavy hydrocracked | 64741-76-0 | 265-077-7 | 01-2119486951-26-xxxx |
| Distillates (petroleum), solvent-refined light paraffinic | 64741-89-5 | 265-091-3 | 01-2119487067-30-xxxx |
| Distillates (petroleum), hydrotreated middle | 64742-46-7 | 265-148-2 | 01-2119459347-30-xxxx |
| Distillates (petroleum), hydrotreated middle | 64742-46-7 | 934-956-3 | 01-2119827000-58-xxxx |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | 265-149-8 | 01-2119456620-43-xxxx |
| Distillates (petroleum), hydrotreated light naphthenic | 64742-53-6 | 265-156-6 | 01-2119480375-34-xxxx |
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | 265-157-1 | 01-2119484627-25-xxxx |
| Distillates (petroleum), hydrotreated light paraffinic | 64742-55-8 | 265-158-7 | 01-2119487077-29-xxxx |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | 265-159-2 | 01-2119480132-48-xxxx |
| Distillates (petroleum), solvent-dewaxed heavy, paraffinic | 64742-65-0 | 265-169-7 | 01-2119471299-27-xxxx |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | 72623-86-0 | 276-737-9 | 01-2119474878-16-xxxx |
| Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based | 72623-87-1 | 276-738-4 | 01-2119474889-13-xxxx |
| White mineral oil (petroleum) | 8042-47-5 | 232-455-8 | 01-2119487078-27-xxxx |
| Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics | NOT AVAILABLE | 920-114-2 | 01-2119459347-30-xxxx |

15.2. Chemical Safety Assessment

No information available.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Repr.-Reproduction toxicity Asp. Tox. - Aspiration Toxicity Acute Tox. - Acute Toxicity

Aguatic Acute - Acute Aguatic Toxicity Aquatic Chronic - Chronic Aquatic Toxicity

Eye Dam. - Eye Damage Eye Irrit. - Eye Irritation Skin Corr. - Skin Corrosion Skin Irrit. - Skin Irritation Skin Sens. - Skin Sensitizer

Resp. Sens. - Respiratory Sensitizer

STOT SE - Specific target organ systemic toxicity (Single exposure) STOT RE - Specific target organ systemic toxicity (repeated exposure)

VOC - Volatile organic compounds

Full text of H-Statements referred to under sections 2 and 3

| | |
|---|---|
| H224 - Extremely flammable liquid and vapor | H341 - Suspected of causing genetic defects |
| H225 - Highly flammable liquid and vapor | H350 - May cause cancer |
| H226 - Flammable liquid and vapor | H351 - Suspected of causing cancer |
| H270 - May cause or intensify fire; oxidizer | H360 - May damage fertility or the unborn child |
| H271 - May cause fire or explosion; strong oxidizer | H361 - Suspected of damaging fertility or the unborn child |
| H272 - May intensify fire; oxidizer | H362 - May cause harm to breast-fed children |
| H290 - May be corrosive to metals | H370 - Causes damage to organs |
| H300 - Fatal if swallowed | H371 - May cause damage to organs |
| H301 - Toxic if swallowed | H372 - Causes damage to organs through prolonged or repeated |
| H302 - Harmful if swallowed | exposure |
| H304 - May be fatal if swallowed and enters airways | H373 - May cause damage to organs through prolonged or repeated |
| H310 - Fatal in contact with skin | exposure |
| H311 - Toxic in contact with skin | H400 - Very toxic to aquatic life |
| H312 - Harmful in contact with skin | H410 - Very toxic to aquatic life with long lasting effects |
| H314 - Causes severe skin burns and eye damage | H411 - Toxic to aquatic life with long lasting effects |
| H315 - Causes skin irritation | H412 - Harmful to aquatic life with long lasting effects |
| H317 - May cause an allergic skin reaction | • H413 - May cause long lasting harmful effects to aquatic life. |
| H318 - Causes serious eye damage | • H360Df - May damage the unborn child. Suspected of damaging fertility |
| H319 - Causes serious eye irritation | H360D - May damage the unborn child |
| H330 - Fatal if inhaled | H360FD - May damage fertility. May damage the unborn child |
| H331 - Toxic if inhaled | H360F - May damage fertility |
| H332 - Harmful if inhaled | H361d - Suspected of damaging the unborn child |
| H334 - May cause allergy or asthma symptoms or breathing difficulties | H361fd - Suspected of damaging fertility. Suspected of damaging the |
| if inhaled | unborn child |
| H335 - May cause respiratory irritation | H361f - Suspected of damaging fertility |
| H336 - May cause drowsiness or dizziness | • EUH066 - Repeated exposure may cause skin dryness or cracking |
| H340 - May cause genetic defects | EUH210 - Safety data sheet available on request. |
| | EUH208 - May produce an allergic reaction |
| | |

Exposure scenario

No information available.

Revision Date: 11-06-2014

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.