

SAFETY DATA SHEET

Issuing Date: no data available

Revision Date: 10-27-2014

Version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s):	06046345-M
Product Name	HYDRO-SLIDE HG 68
Product Registration number	
Denmark	-
Norway	-
Sweden	-
EC #	Not Applicable
Pure substance/preparation	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Any other purpose.

Recommended use	Hydraulic Fluid
	r iyaraano r rara

Uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer, Importer, Supplier

Houghton plc Beacon Road Trafford Park Manchester M17 1AF Tel: +44 (0)161 874 5000 E-mail: MSDS@uk.houghtonglobal.com

Houghton Deutschland GmbH Giselherstr. 57. D-44319. Dortmund Deutschland Tel: +49 (0) 231/9277-0. Fax: +49 (0)231/9277-120 MSDS@houghtonintl.com

Oel-Scheu Houghton Vertriebspartner GmbH Hubstrasse 33 9500 Wil Switzerland Telefon: 071 911 47 47 Telefax: 071 911 18 37

Houghton S.A.S. 604 Bd Albert Camus, BP 60041 69652 Villefranche sur saone France Tel: (0) 4 74 65 65 00 Fax. (0) 4 74 60 08 44

Ragione Sociale: Houghton Italia S.p.A. Indirizzo: Via Postiglione, 30 10024 Moncalieri (TO) ITALY Telefono: (+39) 011 6475811. Fax: (+39) 0116472778. ITTN-MSDS@houghtonintl.com

Houghton Polska SP z.o.o UlKapelanka 17 30-347 Krakow Poland +48 122665240 info@houghton.com.pl Houghton Iberica S.A. Pol. Ind. Can Salvatella-TorreMateu 08210 Barbera del Valles Barcelona SPAIN Tel: +(34 93) 718 85 00 Fax: +(34 93) 718 93 00 msds.es@houghtonintl.com

Houghton Benelux Meerpaal 12 A. NL - 4904.SK Oosterhout. Telefoon: +31 162458400 Fax: +31 162 458205 Email: Marielle.Goossens@houghtonintl.com

HOUGHTON EUROPE N.V Sivuliike Suomessa Lautamiehentie 3 02770 ESPOO Puh. 00-8596 395 Fax. 09-8596 396 LY: 1957249-8 E-mail: info@houghton.fi

06046345-M - HYDRO-SLIDE HG 68

Houghton Danmark A/S Energivej 3 DK-4180 Sorø Danmark Tel: +45 45 85 23 00 E-mail: houghton@houghton.dk

Houghton CZ s.r.o. Bartošova 3 602 00 Brno Czech Republic Phone: +420 542 213 332 office@houghton.cz

Houghton Kimya San. A.Ş Kosuyolu Mah Asma Dall Sok No: 1434718 Kadıköy İstanbul Türkiye Phone Number: +90 216 325 15 15

Mento AS Kontinentalveien Postboks 44 4098 Tananger Norway Tel: +47 51 64 86 00 www.Mento.no

Houghton Romania 2A, Jiului Street 4th Floor / Room 2 013219 Bucharest Phone: +40 21 667 06 15 Fax: +40 21 667 09 70 Houghton Sverige AB La Cours Gata 4 252 31 Helsingborg Sverige Tel: +46 42 29 55 10 E-mail: info.se@houghtonintl.com

Houghton Ukraine Ltd Ukraine, Kiev 04213 13, Prirechnaya St. Phone: +38 (044) 360-10-24 Fax: +38 (044) 426-27-76

1.4. Emergency telephone number

3E Company: (+)1 760 476 3961 (Code 333938)

Austria	Notfall-Telefonnummer +43 (0) 1 406 4343
Bulgaria	Телефон за спешни случаи +359 2 9154 409
Switzerland	145; +41 (0) 44 254 51 51
Czech Republic	Telefonní číslo pro naléhavé situace +420 224 919 293
Denmark	Ring til Giftlinjen på +45 82 12 12 12
Finland	Hätäpuhelinnumero +358 09 471 977
France	Numéro d'appel d'urgence +33 (0)1 45 42 5959
Hungary	Díjmentesen hívható zöld szám +36 80 20 11 99
reland	Emergency telephone number +353 01 809 2166
Netherlands	Telefoonnummer voor +31 30 274 88 88
Norway	Nødnummer +47 22 59 13 00
Poland	112
Portugal	Número de telefone de emergência +351 808 250 143
Romania	Număr de telefon care poate fi apelat în caz de urgență +021 318 36 06 (08:00-15:00)
Spain	Número de teléfono de emergencia +34 91 562 0420
Sweden	Telefonnummer för nödsituationer +46 08 33 12 31 (09:00-17:00)
Turkey	(+)1 760 476 3959 (Code 333938)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

2.2. Label Elements

EUH210 - Safety data sheet available on request.

2.3. Other hazards No information available.

Revision Date: 10-27-2014

SECTION 3: Composition/information on ingredients

3.1. Substances / 3.2. Mixtures

This product is a mixture. Health hazard information is based on its ingredients

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Highly refined base oil (Viscosity >20.5 cSt @40°C)	-	-	50% - 100%	**	-
2,6-Di-tert-butyl-p-cresol	204-881-4	128-37-0	0% - 1%	(H400)	01-2119565113-46-xxx x 01-2119480433-40-xxx x 01-2119555270-46-xxx x

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346 See Section 15 for additional information on base oils.

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first-aid measures

General advice	If symptoms persist, call a physician.
Inhalation	Move to fresh air.
Skin contact	Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting without medical advice.
Protection of First-aiders	Use personal protective equipment.
4.2. Most important symptoms and	effects, both acute and delayed
Main Symptoms	None
4.3. Indication of immediate medica	al attention and special treatment needed
Notes to physician	Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment:, Use water spray, fog, Carbon dioxide, foam or dry chemical, Cool containers / tanks with water spray, Use CO2, dry chemical, or foam, Water spray or fog

Extinguishing media which shall not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special Hazard

Combustible material. In the event of fire and/or explosion do not breathe fumes. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). This material creates a fire hazard because it floats on water. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Decomposition Products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ensure adequate ventilation.

Advice for non-emergency Material can create slippery conditions. personnel

Advice for emergency responders For personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

After cleaning, flush away traces with water.

6.4. <u>Reference to other sections</u>

See Section 8/12/13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Keep away from open flames, hot surfaces and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition.

Recommended Shelf Life

No information available.

Incompatible Materials

TWA: 10 mg/m³

Strong oxidizing agents, Strong acids, Strong bases

7.3. Specific end uses

Specific use(s)

Hydraulic Fluid

MAK: 10 mg/m³

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2,6-Di-tert-butyl-p-cresol

Chemical Name	European Union	United Kingdom	France	Spain
Highly refined base oil (Viscosity >20.5 cSt @40°C)				VLA-EC: 10 mg/m ³ VLA-ED: 5 mg/m ³
2,6-Di-tert-butyl-p-cresol		STEL: 30 mg/m ³ TWA: 10 mg/m ³	VME: 10 mg/m ³	
Chemical Name	Germany	Italy	Portugal	The Netherlands
2,6-Di-tert-butyl-p-cresol	MAK: 20 mg/m³ Ceiling / Peak: 40 mg/m³ Skin		TWA: 2 mg/m ³	
Chemical Name	Austria	Switzerland	Poland	Ireland
Highly refined base oil				STEL: 10 mg/m ³
(Viscosity >20.5 cSt @40°C)				TWA: 5 mg/m ³ (Mist)

Chemical Name	Finland	Denmark	Norway	Sweden
Highly refined base oil (Viscosity >20.5 cSt @40°C)	TWA: 5mg/m³ (Öljysumu)	TWA: 1 mg/m ³ (Olietåge)	TWA: 1 mg/m ³ (Oljetåke)	LLV: 1 mg/m ³ STV: 3 mg/m ³ (Oljedimma)
2,6-Di-tert-butyl-p-cresol	TWA: 10 mg/m ³ STEL: 20 mg/m ³	TWA: 10 mg/m ³		

MAK: 10 mg/m³

Chemical Name	Czech Republic	Hungary	Bulgaria	Romania
2,6-Di-tert-butyl-p-cresol			STEL: 50.0 mg/m ³	
			TWA: 10.0 mg/m ³	

Workers Systemic toxicity

Chemical Name	Long term - Oral exposure	Long term - Dermal exposure	Long term - Inhalation	Short term - Oral Exposure	Short term - Dermal exposure	Short term - Inhalation
			exposure			exposure
2,6-Di-tert-butyl-p-cresol		8.3 mg/kg	5.8 mg/m ³			

Workers Local effects

Consumers Systemic toxicity

Chemical Name	Long term - Oral exposure	Long term - Dermal exposure	Long term - Inhalation exposure	Short term - Oral Exposure	Short term - Dermal exposure	Short term - Inhalation exposure
2,6-Di-tert-butyl-p-cresol		5 mg/kg	1.74 mg/m³			

Consumers Local effects

Predicted No Effect Concentration (PNEC)

Chemical Name	Fresh water	Sea water	Fresh water sediment	Sea sediment	Soil
2,6-Di-tert-butyl-p-cresol	1.29 mg/kg	0.0004 mg/L	1.29 mg/kg		1.04 mg/kg

8.2. Exposure controls

Engineering Measures	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment Eye Protection Hand Protection	Safety glasses with side-shields. Protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Barrier creams may help to protect the exposed areas of skin, they should however not be applied once exposure has occurred.
Skin and body protection Respiratory protection	Long sleeved clothing. No special protective equipment required. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
Hygiene measures	Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.
Environmental Exposure Controls Thermal hazards	No special environmental precautions required. None under normal use conditions

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state @20°C Odor	liquid mineral oil	Appearance Odor Threshold	clear , amber Not Applicable
<u>Property</u> pH Melting Point / Freezing Point Boiling point/boiling range	<u>Values</u> No information availabl t < -5 °C < 23 °F > 300 °C / > 572 °F	9	Note
Flash point Evaporation rate Flammability (solid, gas) Flammability Limits in Air	> 200 °C / > 392 °F No information availab No information availab	le	ASTM D 92
upper flammability limit Lower flammability limit	6.5% 0.5%		
Vapor pressure Vapor density	0.01 No information availab	e	kPa
Relative density Solubility(ies) Partition coefficient: n-octand	0.8800 Insoluble in water		@15.5C
Autoignition temperature Decomposition temperature Viscosity, kinematic Explosive properties Oxidizing Properties	No information availabl No information availab = 68 cSt @ 40 °C Not Applicable Not Applicable	-	ASTM D 445
9.2 Other information			
Viscosity, kinematic (100°C) Pour point VOC Content	No information availab < -5 °C / < 23 °F No information availab		

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal use conditions

10.4. Conditions to avoid

Heat, flames and sparks, Keep away from open flames, hot surfaces and sources of ignition

10.5. Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Product Information - Principle Routes of Exposure

Inhalation	None known
Eye contact	None known
Skin contact	None known
Ingestion	None known

Acute toxicity - Product Information

Product does not present an acute toxicity hazard based on known information.

Acute toxicity - Component Information

Chemical Name	LD50 Oral (Rat)	LD50 Dermal (Rat/Rabbit)	LC50 Inhalation
Highly refined base oil (Viscosity >20.5 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	
2,6-Di-tert-butyl-p-cresol	5000 mg/kg(Rat)	5000 mg/kg (Rabbit)	

Skin corrosion/irritation	None known.
Serious eye damage/eye irritation	None known.
Sensitization Respiratory Sensitization Skin sensitization	None known. None known.

Germ Cell Mutagenicity	None known.
Carcinogenicity	None known.
Reproductive toxicity	None known.
Specific target organ systemic toxicity (single exposure)	None known
Specific target organ systemic toxicity (repeated exposure)	None known.
Aspiration hazard	None known.

SECTION 12: Ecological information

12.1. Toxicity

No special environmental measures are necessary.

Ch	nemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
2,6-Di-	-tert-butyl-p-cresol	6: 72 h Pseudokirchneriella subcapitata mg/L EC50 0.42: 72 h Desmodesmus subspicatus mg/L EC50	5: 48 h Oryzias latipes mg/L LC50		

12.2. Persistence and degradability

The product is not readily biodegradable, but it can be degraded by micro-organisms, it is regarded as being inherently biodegradable.

12.3. Bioaccumulative potential

Chemical Name	log Pow	
2,6-Di-tert-butyl-p-cresol	4.17	

12.4. Mobility in soil

The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues / Unused Products	Dispose of in accordance with local regulations
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Observe all label precautions until container is cleaned, reconditioned or

destroyed.

Other Data

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

14.1. UN-Number

Not regulated

14.2. UN proper shipping name

Not regulated

14.3. Transport hazard class

Not regulated

14.4. Packing group

Not regulated

14.5. Environmental Hazards

None.

14.6. Special precautions for users

None.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

IMDG/IMO Not regulated

ADR/RID Not regulated

ICAO/IATA Not regulated

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

Statutory Instruments: Control of Substances Hazardous to Health Regulations 2002. Chemicals (Hazard Information and Packaging) Regulations 2009.

Acts of Parliament: The Health and Safety at Work etc. Act 1974. Environment Protection Act 1990. Regulation on classification, labeling. of hazardous chemicals (2002 changing 2005). Appendix VI to Regulation on classification, labeling etc. of hazardous chemicals (2002 changing 2010), list of hazardous substances (as amended). Guidelines for submission and declaration of hazardous waste (2009). Transport of dangerous goods: ADR, RID, IMDG and IATA. Administrative norms for pollution of the atmosphere, 2009. Workelage appearume (EH140)

Workplace exposure limits (EH40)

WGK Classification

Hazard to water/Class 2

The highly refined base oil (Viscosity >20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

Chemical Name	CAS-No	EC-No	REACH Registration Number
Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated	101316-72-7	309-877-7	01-2119489969-06-xxxx
Lubricating oils (petroleum), used, noncatalytically refined	101316-73-8	309-878-2	02-2119822310-56-xxxx
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	265-090-8	
Residual oils (petroleum), solvent-refined	64742-01-4	265-101-6	01-2119488707-21-xxxx
Extracts (petroleum), residual oil solvent	64742-10-5	265-110-5	01-2119488175-30-xxxx
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	265-155-0	01-2119467170-45-xxxx
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	265-156-6	
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	265-157-1	01-2119484627-25-xxxx
Residual oils (petroleum), hydrotreated	64742-57-0	265-160-8	01-2119489287-22-xxxx
Lubricating oils (petroleum), hydrotreated spent	64742-58-1	265-161-3	
Residual oils (petroleum), solvent-dewaxed	64742-62-7	265-166-0	01-2119480472-38-xxxx
Distillates (petroleum), solvent-dewaxed heavy, paraffinic	64742-65-0	265-169-7	01-2119471299-27-xxxx
Paraffin oils (petroleum), catalytic dewaxed heavy	64742-70-7	265-174-4	01-2119487080-42-xxxx
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	276-737-9	01-2119474878-16-xxxx
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	72623-87-1	276-738-4	01-2119474889-13-xxxx
Lubricating oils	74869-22-0	278-012-2	
Paraffin oils	8012-95-1	232-384-2	
White mineral oil (petroleum)	8042-47-5	232-455-8	01-2119487078-27-xxxx

15.2. Chemical Safety Assessment

No information available.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Repr.-Reproduction toxicity Asp. Tox. - Aspiration Toxicity Acute Tox. - Acute Toxicity Aquatic Acute - Acute Aquatic Toxicity Aquatic Chronic - Chronic Aquatic Toxicity Eye Dam. - Eye Damage Eye Irrit. - Eye Irritation Skin Corr. - Skin Corrosion Skin Irrit. - Skin Irritation Skin Sens. - Skin Sensitizer Resp. Sens. - Respiratory Sensitizer STOT SE - Specific target organ systemic toxicity (Single exposure) STOT RE - Specific target organ systemic toxicity (repeated exposure) VOC - Volatile organic compounds

Full text of H-Statements referred to under sections 2 and 3

06046345-M - HYDRO-SLIDE HG 68

 H224 - Extremely flammable liquid and vapor 	 H341 - Suspected of causing genetic defects
 H225 - Highly flammable liquid and vapor 	• H350 - May cause cancer
 H226 - Flammable liquid and vapor 	 H351 - Suspected of causing cancer
 H270 - May cause or intensify fire; oxidizer 	 H360 - May damage fertility or the unborn child
 H271 - May cause fire or explosion; strong oxidizer 	 H361 - Suspected of damaging fertility or the unborn child
 H272 - May intensify fire; oxidizer 	 H362 - May cause harm to breast-fed children
H290 - May be corrosive to metals	H370 - Causes damage to organs
H300 - Fatal if swallowed	 H371 - May cause damage to organs
H301 - Toxic if swallowed	 H372 - Causes damage to organs through prolonged or repeated
H302 - Harmful if swallowed	exposure
 H304 - May be fatal if swallowed and enters airways 	 H373 - May cause damage to organs through prolonged or repeated
H310 - Fatal in contact with skin	exposure
H311 - Toxic in contact with skin	 H400 - Very toxic to aquatic life
 H312 - Harmful in contact with skin 	 H410 - Very toxic to aquatic life with long lasting effects
 H314 - Causes severe skin burns and eye damage 	 H411 - Toxic to aquatic life with long lasting effects
 H315 - Causes skin irritation 	 H412 - Harmful to aquatic life with long lasting effects
 H317 - May cause an allergic skin reaction 	 H413 - May cause long lasting harmful effects to aquatic life.
 H318 - Causes serious eye damage 	 H360Df - May damage the unborn child. Suspected of damaging fertility
 H319 - Causes serious eye irritation 	 H360D - May damage the unborn child
• H330 - Fatal if inhaled	 H360FD - May damage fertility. May damage the unborn child
H331 - Toxic if inhaled	 H360F - May damage fertility
• H332 - Harmful if inhaled	 H361d - Suspected of damaging the unborn child
• H334 - May cause allergy or asthma symptoms or breathing difficulties	 H361fd - Suspected of damaging fertility. Suspected of damaging the
if inhaled	unborn child
 H335 - May cause respiratory irritation 	 H361f - Suspected of damaging fertility
 H336 - May cause drowsiness or dizziness 	 EUH066 - Repeated exposure may cause skin dryness or cracking
 H340 - May cause genetic defects 	 EUH210 - Safety data sheet available on request.
	 EUH208 - May produce an allergic reaction

Exposure scenario

No information available.

Revision Date: 10-27-2014

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.