

SAFETY DATA SHEET

Issuing Date: 05-18-2015 **Revision Date: 05-19-2015** Version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.

Product identifier

12030233-M Product Code(s): **Product Name** STA PUT CKC 150

Product Registration number

Denmark Norway Sweden

EC#

Pure substance/preparation

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Industrial gear oil

Uses advised against Any other purpose.

1.3. Details of the supplier of the safety data sheet

Manufacturer, Importer, Supplier

Houghton plc Houghton S.A.S. Houghton Iberica S.A.

Beacon Road 604 Bd Albert Camus, Pol. Ind. Can Salvatella-TorreMateu BP 60041 08210 Barbera del Valles

Trafford Park 69652 Villefranche sur saone Barcelona Manchester

M17 1AF **SPAIN** France

Tel: +44 (0)161 874 5000 Tel: (0) 4 74 65 65 00 Tel: +(34 93) 718 85 00 E-mail: MSDS@uk.houghtonglobal.com Fax. (0) 4 74 60 08 44 Fax: +(34 93) 718 93 00

msds.es@houghtonintl.com

Houghton Deutschland GmbH Ragione Sociale: Houghton Italia S.p.A. Houghton Benelux

Meerpaal 12 A. NL - 4904.SK Oosterhout. Giselherstr. 57. D-44319. Indirizzo: Via Postiglione, 30 Dortmund 10024 Moncalieri (TO) Telefoon: +31 162458400

ITALY Deutschland Fax: +31 162 458205

Tel: +49 (0) 231/9277-0. Telefono: (+39) 011 6475811. Email: Marielle.Goossens@houghtonintl.com Fax: +49 (0)231/9277-120 Fax: (+39) 0116472778. MSDS@houghtonintl.com ITTN-MSDS@houghtonintl.com

Oel-Scheu Houghton Vertriebspartner GmbH

Houghton Polska SP z.o.o Hubstrasse 33 UlKapelanka 17 9500 Wil 30-347 Krakow Switzerland Poland Telefon: 071 911 47 47 +48 122665240

Telefax: 071 911 18 37 info@houghton.com.pl LY: 1957249-8

HOUGHTON EUROPE N.V Sivuliike Suomessa

Lautamiehentie 3 02770 ESPOO Puh. 00-8596 395 Fax. 09-8596 396

E-mail: info@houghton.fi

12030233-M - STA PUT CKC 150

Revision Date: 05-19-2015

Houghton Danmark A/S Energivej 3 DK-4180 Sorø Danmark Tel: +45 45 85 23 00

E-mail: houghton@houghton.dk

Houghton CZ s.r.o. Bartošova 3 602 00 Brno Czech Republic Phone: +420 542 213 332

office@houghton.cz

Houghton Kimya San. A.Ş Kosuyolu Mah Asma Dall Sok No: 1434718 Kadıköy İstanbul Türkiye

Phone Number: +90 216 325 15 15

Mento AS Kontinentalveien Postboks 44 4098 Tananger Norway Tel: +47 51 64 86 00 www.Mento.no

Houghton Romania 2A, Jiului Street 4th Floor / Room 2 013219 Bucharest Phone: +40 21 667 06 15

Fax: +40 21 667 09 70

Houghton Sverige AB La Cours Gata 4 252 31 Helsingborg Sverige

Tel: +46 42 29 55 10

E-mail: info.se@houghtonintl.com

Houghton Ukraine Ltd Ukraine, Kiev 04213 13, Prirechnaya St.

Phone: +38 (044) 360-10-24 Fax: +38 (044) 426-27-76

1.4. Emergency telephone number

3E Company: (+)1 760 476 3961 (Code 333938)

Austria	Notfall-Telefonnummer +43 (0) 1 406 4343	
Bulgaria	Телефон за спешни случаи +359 2 9154 409	
Switzerland	145; +41 (0) 44 254 51 51	
Czech Republic	Telefonní číslo pro naléhavé situace +420 224 919 293	
Denmark	Ring til Giftlinjen på +45 82 12 12 12	
Finland	Hätäpuhelinnumero +358 09 471 977	
France	Numéro d'appel d'urgence +33 (0)1 45 42 5959	
Hungary	Díjmentesen hívható zöld szám +36 80 20 11 99	
Ireland	Emergency telephone number +353 01 809 2166	
Netherlands	Telefoonnummer voor +31 30 274 88 88	
Norway	Nødnummer +47 22 59 13 00	
Poland 112		
Portugal Número de telefone de emergência +351 808 250 143		
Romania Număr de telefon care poate fi apelat în caz de urgență +021 318 36 06 (08:00		
Spain	Número de teléfono de emergencia +34 91 562 0420	
Sweden	Telefonnummer för nödsituationer +46 08 33 12 31 (09:00-17:00)	
Turkey	(+)1 760 476 3959 (Code 333938)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

2.2. Label Elements

EUH210 - Safety data sheet available on request.

2.3. Other hazards

No information available.

- 1.05074001 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 1.14056001 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 1.32038001 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 1.32038001 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 1.32038001 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

SECTION 3: Composition/information on ingredients

3.1. Substances / 3.2. Mixtures

This product is a mixture. Health hazard information is based on its ingredients

Chemical Name	EC-No	CAS-No	Weight %	Classification (Reg. 1272/2008)	REACH Registration Number
Highly refined base oil (Viscosity >20.5 cSt @40°C)	-	-	50% - 100%	**	-

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346 See Section 15 for additional information on base oils.

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first-aid measures

General advice If symptoms persist, call a physician.

Inhalation Move to fresh air.

Skin contact Wash off immediately with soap and plenty of water. Remove and wash contaminated

clothing before re-use.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing.

Ingestion Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting

without medical advice.

Protection of First-aidersUse personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Main Symptoms None

4.3. Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment:, Use CO2, dry chemical, or foam, Water spray or fog, Cool containers / tanks with water spray

^{**} Substances for which there are Community workplace exposure limits

Extinguishing media which shall not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special Hazard

In the event of fire and/or explosion do not breathe fumes. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Thermal decomposition can lead to release of irritating gases and vapors. This material creates a fire hazard because it floats on water.

Hazardous Decomposition Products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ensure adequate ventilation.

Advice for non-emergency

Material can create slippery conditions.

personnel

Advice for emergency responders For personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Dike to collect large liquid spills.

6.4. Reference to other sections

See Section 8/12/13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Keep away from open flames, hot surfaces and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition.

Recommended Shelf Life

No information available.

Revision Date: 05-19-2015

Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

7.3. Specific end uses

Industrial gear oil Specific use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain
Highly refined base oil				VLA-EC: 10 mg/m ³
(Viscosity >20.5 cSt @40°C)				VLA-ED: 5 mg/m ³

Chemical Name	Austria	Switzerland	Poland	Ireland
Highly refined base oil (Viscosity >20.5 cSt @40°C)				STEL: 10 mg/m³ TWA: 5 mg/m³
(VISCOSILY >20.5 CSL @40°C)				(Mist)

Chemical Name	Finland	Denmark	Norway	Sweden
Highly refined base oil (Viscosity >20.5 cSt @40°C)	TWA: 5mg/m³ (Öljysumu)	TWA: 1 mg/m³ (Olietåge)	TWA: 1 mg/m³ (Oljetåke)	LLV: 1 mg/m³ STV: 3 mg/m³
7 2010 001 0 10 0)				(Oljedimma)

Workers Systemic toxicity

Workers Local effects

Consumers Systemic toxicity

Consumers Local effects

Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye Protection Hand Protection Safety glasses with side-shields.

Protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts,

abrasion. Barrier creams may help to protect the exposed areas of skin, they should

however not be applied once exposure has occurred.

Skin and body protection **Respiratory protection**

Long sleeved clothing.

No special protective equipment required. In case of mist, spray or aerosol exposure wear

suitable personal respiratory protection and protective suit.

12030233-M - STA PUT CKC 150

Revision Date: 05-19-2015

Hygiene measures Do not eat, drink or smoke when using this product. Handle in accordance with good

industrial hygiene and safety practice.

Environmental Exposure Controls

No special environmental precautions required.

Thermal hazards

None under normal use conditions

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state @20°C liquid **Appearance** clear amber Odor mineral oil **Odor Threshold** Not Applicable

Property Values Note

No information available pН > -10 °C / > 14 °F

Melting Point / Freezing Point > 300 °C / > 572 °F Boiling point/boiling range

Flash point > 220 °C / > 428 °F ASTM D 92

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limits in Air

upper flammability limit 6.5% Lower flammability limit 0.5%

Vapor pressure 0.01 kPa

Vapor density No information available.

Relative density @15.5°C 0.8900

Solubility(ies) Insoluble in water Partition coefficient: n-octanol/water Not Applicable

Autoignition temperature No information available No information available **Decomposition temperature**

= 150 cSt @ 40 °C Viscosity, kinematic ASTM D 445

Explosive properties Not Applicable **Oxidizing Properties** Not Applicable

9.2 Other information

No information available Viscosity, kinematic (100°C) > -10 °C / > 14 °F Pour point No information available **VOC Content**

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal use conditions

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition

10.5. Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

10.6. <u>Hazardous decomposition products</u>

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Product Information - Principle Routes of Exposure

InhalationNone knownEye contactNone knownSkin contactNone knownIngestionNone known

Acute toxicity - Product Information

Product does not present an acute toxicity hazard based on known information.

Acute toxicity - Component Information

Chemical Name	LD50 Oral (Rat)	LD50 Dermal (Rat/Rabbit)	LC50 Inhalation
Highly refined base oil (Viscosity >20.5 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	

Skin corrosion/irritation None known.

Serious eye damage/eye irritation None known.

Sensitization

Respiratory Sensitization
Skin sensitization
None known.

Germ Cell Mutagenicity
None known.

Carcinogenicity None known.

Reproductive toxicity None known.

Specific target organ systemic None known

Specific target organ systemic

toxicity (repeated exposure)

toxicity (single exposure)

None known.

Aspiration hazard None known.

SECTION 12: Ecological information

12.1. Toxicity

No special environmental measures are necessary.

12.2. Persistence and degradability

The product is not readily biodegradable, but it can be degraded by micro-organisms, it is regarded as being inherently biodegradable.

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Dispose of in accordance with local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Observe all label precautions until container is cleaned, reconditioned or

destroyed.

Other Data According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

SECTION 14: Transport information

14.1. UN-Number

Not regulated

14.2. UN proper shipping name

Not regulated

14.3. Transport hazard class

Not regulated

14.4. Packing group

Not regulated

14.5. Environmental Hazards

None.

14.6. Special precautions for users

None.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

IMDG/IMO Not regulated ADR/RID Not regulated Not regulated ICAO/IATA

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

Statutory Instruments: Control of Substances Hazardous to Health Regulations 2002, Chemicals (Hazard Information and Packaging) Regulations 2009.

Acts of Parliament: The Health and Safety at Work etc. Act 1974. Environment Protection Act 1990.

Regulation on classification, labeling. of hazardous chemicals (2002 changing 2005). Appendix VI to Regulation on classification, labeling etc. of hazardous chemicals (2002 changing 2010), list of hazardous substances (as amended). Guidelines for submission and declaration of hazardous waste (2009). Transport of dangerous goods: ADR, RID, IMDG and IATA. Administrative norms for pollution of the atmosphere, 2009.

Workplace exposure limits (EH40)

WGK Classification

Hazard to water/Class 2

The highly refined base oil (Viscosity >20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

Chemical Name	CAS-No	EC-No	REACH Registration Number
Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated	101316-72-7	309-877-7	01-2119489969-06-xxxx
Lubricating oils (petroleum), used, noncatalytically refined	101316-73-8	309-878-2	02-2119822310-56-xxxx
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	265-090-8	
Residual oils (petroleum), solvent-refined	64742-01-4	265-101-6	01-2119488707-21-xxxx
Extracts (petroleum), residual oil solvent	64742-10-5	265-110-5	01-2119488175-30-xxxx
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	265-155-0	01-2119467170-45-xxxx
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	265-156-6	
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	265-157-1	01-2119484627-25-xxxx
Residual oils (petroleum), hydrotreated	64742-57-0	265-160-8	01-2119489287-22-xxxx
Lubricating oils (petroleum), hydrotreated spent	64742-58-1	265-161-3	
Residual oils (petroleum), solvent-dewaxed	64742-62-7	265-166-0	01-2119480472-38-xxxx
Distillates (petroleum), solvent-dewaxed heavy, paraffinic	64742-65-0	265-169-7	01-2119471299-27-xxxx
Paraffin oils (petroleum), catalytic dewaxed heavy	64742-70-7	265-174-4	01-2119487080-42-xxxx
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	276-737-9	01-2119474878-16-xxxx
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	72623-87-1	276-738-4	01-2119474889-13-xxxx
Lubricating oils	74869-22-0	278-012-2	
Paraffin oils	8012-95-1	232-384-2	
White mineral oil (petroleum)	8042-47-5	232-455-8	01-2119487078-27-xxxx

15.2. Chemical Safety Assessment

No information available.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Repr.-Reproduction toxicity Asp. Tox. - Aspiration Toxicity Acute Tox. - Acute Toxicity

Aquatic Acute - Acute Aquatic Toxicity Aquatic Chronic - Chronic Aquatic Toxicity

Eye Dam. - Eye Damage Eye Irrit. - Eye Irritation Skin Corr. - Skin Corrosion Skin Irrit. - Skin Irritation Skin Sens. - Skin Sensitizer

Resp. Sens. - Respiratory Sensitizer

STOT SE - Specific target organ systemic toxicity (Single exposure)

STOT RE - Specific target organ systemic toxicity (repeated exposure)

VOC - Volatile organic compounds

Full text of H-Statements referred to under sections 2 and 3

H224 - Extremely flammable liquid and vapor H225 - Highly flammable liquid and vapor H226 - Flammable liquid and vapor H270 - May cause or intensify fire; oxidizer H271 - May cause fire or explosion; strong oxidizer H272 - May intensify fire; oxidizer H290 - May be corrosive to metals H300 - Fatal if swallowed H301 - Toxic if swallowed H302 - Harmful if swallowed H304 - May be fatal if swallowed and enters airways H310 - Fatal in contact with skin H311 - Toxic in contact with skin H312 - Harmful in contact with skin H314 - Causes severe skin burns and eve damage H315 - Causes skin irritation H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H319 - Causes serious eye irritation H330 - Fatal if inhaled H331 - Toxic if inhaled H332 - Harmful if inhaled H334 - May cause allergy or asthma symptoms or breathing difficulties f inhaled H335 - May cause respiratory irritation H336 - May cause drowsiness or dizziness H340 - May cause genetic defects

· H341 - Suspected of causing genetic defects

H350 - May cause cancer

H351 - Suspected of causing cancer

· H360 - May damage fertility or the unborn child

H361 - Suspected of damaging fertility or the unborn child

· H362 - May cause harm to breast-fed children

 H370 - Causes damage to organs · H371 - May cause damage to organs

· H372 - Causes damage to organs through prolonged or repeated exposure

· H373 - May cause damage to organs through prolonged or repeated exposure

Revision Date: 05-19-2015

· H400 - Very toxic to aquatic life

· H410 - Very toxic to aquatic life with long lasting effects H411 - Toxic to aquatic life with long lasting effects · H412 - Harmful to aquatic life with long lasting effects

· H413 - May cause long lasting harmful effects to aquatic life.

 H360Df - May damage the unborn child. Suspected of damaging fertility · H360D - May damage the unborn child

· H360FD - May damage fertility. May damage the unborn child

H360F - May damage fertility

· H361d - Suspected of damaging the unborn child

· H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child

· H361f - Suspected of damaging fertility

EUH066 - Repeated exposure may cause skin dryness or cracking

EUH210 - Safety data sheet available on request.

EUH208 - May produce an allergic reaction

Exposure scenario

No information available.

Issuing Date: 05-18-2015

05-19-2015 **Revision Date:**

Revision Note

Revision Date: 05-19-2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.