

SAFETY DATA SHEET

Issuing Date: 05-27-2015 **Revision Date: 05-27-2015** Version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.

Product identifier

Product Code(s) (ES): 04250346-M

Product Name VITAL FLUID CM 46 NS

Product Registration number

Denmark Norway Sweden

EC#

Pure substance/preparation

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Rolling oil

Uses advised against Any other purpose.

1.3. Details of the supplier of the safety data sheet

Manufacturer, Importer, Supplier

Houghton plc Houghton S.A.S. Houghton Iberica S.A.

Beacon Road 604 Bd Albert Camus, Pol. Ind. Can Salvatella-TorreMateu

Trafford Park BP 60041 08210 Barbera del Valles

69652 Villefranche sur saone Barcelona Manchester **SPAIN**

M17 1AF France

Tel: +44 (0)161 874 5000 Tel: (0) 4 74 65 65 00 Tel: +(34 93) 718 85 00 E-mail: MSDS@uk.houghtonglobal.com Fax. (0) 4 74 60 08 44 Fax: +(34 93) 718 93 00 msds.es@houghtonintl.com

Houghton Deutschland GmbH Ragione Sociale: Houghton Italia S.p.A. Houghton Benelux

Meerpaal 12 A. NL - 4904.SK Oosterhout. Giselherstr. 57. D-44319. Indirizzo: Via Postiglione, 30

Dortmund 10024 Moncalieri (TO) Telefoon: +31 162458400 Deutschland **ITALY** Fax: +31 162 458205

Tel: +49 (0) 231/9277-0. Telefono: (+39) 011 6475811. Fax: +49 (0)231/9277-120 Fax: (+39) 0116472778.

MSDS@houghtonintl.com ITTN-MSDS@houghtonintl.com

Oel-Scheu Houghton Vertriebspartner GmbH

Hubstrasse 33 9500 Wil

Switzerland Poland Telefon: 071 911 47 47 +48 122665240 Telefax: 071 911 18 37 info@houghton.com.pl

Houghton Polska SP z.o.o HOUGHTON EUROPE N.V Sivuliike Suomessa UlKapelanka 17

Email: Marielle.Goossens@houghtonintl.com

Lautamiehentie 3 30-347 Krakow 02770 ESPOO Puh. 00-8596 395 Fax. 09-8596 396 LY: 1957249-8

E-mail: info@houghton.fi

Revision Date: 05-27-2015

Houghton Danmark A/S Energivej 3 DK-4180 Sorø Danmark Tel: +45 45 85 23 00

E-mail: houghton@houghton.dk

Houghton CZ s.r.o. Bartošova 3 602 00 Brno Czech Republic Phone: +420 542 213 332

office@houghton.cz

Houghton Kimya San. A.Ş Kosuyolu Mah Asma Dall Sok No: 1434718 Kadıköy İstanbul Türkiye

Phone Number: +90 216 325 15 15

Mento AS Kontinentalveien Postboks 44 4098 Tananger Norway Tel: +47 51 64 86 00 www.Mento.no

Houghton Romania 2A, Jiului Street 4th Floor / Room 2 013219 Bucharest Phone: +40 21 667 06 15

Fax: +40 21 667 09 70

Houghton Sverige AB La Cours Gata 4 252 31 Helsingborg Sverige

Tel: +46 42 29 55 10

E-mail: info.se@houghtonintl.com

Houghton Ukraine Ltd Ukraine, Kiev 04213 13, Prirechnaya St.

Phone: +38 (044) 360-10-24 Fax: +38 (044) 426-27-76

1.4. Emergency telephone number

3E Company: (+)1 760 476 3961 (Code 333938)

Austria	Notfall-Telefonnummer +43 (0) 1 406 4343	
Bulgaria	Телефон за спешни случаи +359 2 9154 409	
Switzerland	145; +41 (0) 44 254 51 51	
Czech Republic	Telefonní číslo pro naléhavé situace +420 224 919 293	
Denmark	Ring til Giftlinjen på +45 82 12 12 12	
Finland	Hätäpuhelinnumero +358 09 471 977	
France	Numéro d'appel d'urgence +33 (0)1 45 42 5959	
Hungary	Díjmentesen hívható zöld szám +36 80 20 11 99	
Ireland	Emergency telephone number +353 01 809 2166	
Netherlands	Telefoonnummer voor +31 30 274 88 88	
Norway	Nødnummer +47 22 59 13 00	
Poland	112	
Portugal	Número de telefone de emergência +351 808 250 143	
Romania	Număr de telefon care poate fi apelat în caz de urgență +021 318 36 06 (08:00-15:00)	
Spain	Número de teléfono de emergencia +34 91 562 0420	
Sweden	Telefonnummer för nödsituationer +46 08 33 12 31 (09:00-17:00)	
Turkey	(+)1 760 476 3959 (Code 333938)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Contains Phenol, isopropylated, phosphate (3:1) May produce an allergic reaction.

2.2. Label Elements

EUH208 - Contains Phenol, isopropylated, phosphate (3:1) May produce an allergic reaction.

2.3. Other hazards

No information available.

Revision Date: 05-27-2015

- 0.01 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0.01 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 99.0555 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 99.0555 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 99.0555 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

SECTION 3: Composition/information on ingredients

3.1. Substances / 3.2. Mixtures

This product is a mixture. Health hazard information is based on its ingredients

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first-aid measures

May produce an allergic reaction. When symptoms persist or in all cases of doubt seek General advice

medical advice.

Inhalation Move to fresh air.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing before re-use. May cause an allergic skin reaction. If symptoms

persist, call a physician.

Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while Eye contact

rinsing.

Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting Ingestion

without medical advice.

Protection of First-aiders Use personal protective equipment. Avoid contact with skin, eyes and clothing.

4.2. Most important symptoms and effects, both acute and delayed

Main Symptoms May cause allergic skin reaction

4.3. Indication of immediate medical attention and special treatment needed

Notes to physician May cause sensitization of susceptible persons. Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment: Use CO2, dry chemical. or foam. Water spray or fog

Extinguishing media which shall not be used for safety reasons

None

5.2. Special hazards arising from the substance or mixture

Special Hazard

This material creates a fire hazard because it floats on water.

Hazardous Decomposition Products

None under normal use

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Advice for non-emergency

Material can create slippery conditions.

personnel

Advice for emergency responders For personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Dike to collect large liquid spills.

6.4. Reference to other sections

See Section 8/12/13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Recommended Shelf Life

No information available.

Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

7.3. Specific end uses

Specific use(s) Rolling oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Contains no substances with occupational exposure limit values

Workers Systemic toxicity

Workers Local effects

Consumers Systemic toxicity

Consumers Local effects

Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eve Protection Hand Protection Safety glasses with side-shields.

Protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Barrier creams may help to protect the exposed areas of skin, they should

however not be applied once exposure has occurred.

Skin and body protection Respiratory protection

Long sleeved clothing.

No special protective equipment required. In case of mist, spray or aerosol exposure wear

suitable personal respiratory protection and protective suit.

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove Hygiene measures

and wash contaminated clothing before re-use. Handle in accordance with good industrial

ASTM D 92

hygiene and safety practice.

Environmental Exposure Controls

Thermal hazards

No special environmental precautions required.

None under normal use conditions

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state @20°C liauid **Appearance** clear . colorless Odor Mild **Odor Threshold** Not Applicable

Values Property Note

No information available **Melting Point / Freezing Point**

No information available. Boiling point/boiling range No information available. Flash point >= 210 °C / >= 410 °F

Evaporation rate Flammability (solid, gas) Flammability Limits in Air No information available No information available

upper flammability limit No information available.

Lower flammability limit No information available.

Vapor pressureNo information available.Vapor densityNo information available.

Relative density 0.9900 g/cm3 @20°C

Solubility(ies) Insoluble in water Partition coefficient: n-octanol/water Not Applicable

Autoignition temperature

No information available

No information available

Viscosity, kinematic 46 cSt @ 40 °C ASTM D 445

Explosive propertiesNot Applicable

Oxidizing Properties
Not Applicable

9.2 Other information

Viscosity, kinematic (100°C)No information availablePour pointNo information availableVOC ContentNo information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal use conditions

10.4. Conditions to avoid

Do not freeze

10.5. Incompatible Materials

Strong oxidizing agents, Strong acids, Strong bases

10.6. Hazardous decomposition products

None under normal use conditions

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Product Information - Principle Routes of Exposure

Inhalation None known

Eye contact None known

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Ingestion None known

Acute toxicity - Product Information

Product does not present an acute toxicity hazard based on known information.

Acute toxicity - Component Information

Skin corrosion/irritation None known.

Serious eye damage/eye irritation None known.

Sensitization

Respiratory Sensitization None known.

Skin sensitization May cause an allergic skin reaction.

Germ Cell Mutagenicity None known.

Carcinogenicity None known.

Reproductive toxicity None known.

Specific target organ systemic

toxicity (single exposure)

None known

Specific target organ systemic toxicity (repeated exposure)

None known.

Aspiration hazard None known.

Symptoms Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and

sensitization of susceptible persons.

SECTION 12: Ecological information

12.1. Toxicity

No special environmental measures are necessary.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Dispose of in accordance with local regulations

Contaminated packaging Empty c

Empty containers should be taken to an approved waste handling site for recycling or disposal. Observe all label precautions until container is cleaned, reconditioned or

destroyed.

Other Data According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific. Waste codes should be assigned by the user based on the application

Revision Date: 05-27-2015

for which the product was used.

SECTION 14: Transport information

14.1. UN-Number

Not regulated

14.2. UN proper shipping name

Not regulated

14.3. Transport hazard class

Not regulated

14.4. Packing group

Not regulated

14.5. Environmental Hazards

None.

14.6. Special precautions for users

None.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

IMDG/IMO Not regulated

ADR/RID Not regulated

ICAO/IATA Not regulated

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

Statutory Instruments: Control of Substances Hazardous to Health Regulations 2002. Chemicals (Hazard Information and Packaging) Regulations 2009.

Acts of Parliament: The Health and Safety at Work etc. Act 1974. Environment Protection Act 1990.

Regulation on classification, labeling. of hazardous chemicals (2002 changing 2005). Appendix VI to Regulation on classification, labeling etc. of hazardous chemicals (2002 changing 2010), list of hazardous substances (as amended). Guidelines for submission and declaration of hazardous waste (2009). Transport of dangerous goods: ADR, RID, IMDG and IATA. Administrative norms for pollution of the atmosphere, 2009.

Workplace exposure limits (EH40)

WGK Classification

Low hazard to water/Class 1

Revision Date: 05-27-2015

15.2. Chemical Safety Assessment

No information available.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Repr.-Reproduction toxicity
Asp. Tox. - Aspiration Toxicity
Acute Tox. - Acute Toxicity
Aquatic Acute - Acute Aquatic Toxicity
Aquatic Chronic - Chronic Aquatic Toxicity
Eye Dam. - Eye Damage
Eye Irrit. - Eye Irritation

Eye Irrit. - Eye Irritation Skin Corr. - Skin Corrosion Skin Irrit. - Skin Irritation Skin Sens. - Skin Sensitizer

Resp. Sens. - Respiratory Sensitizer

STOT SE - Specific target organ systemic toxicity (Single exposure) STOT RE - Specific target organ systemic toxicity (repeated exposure)

VOC - Volatile organic compounds

Full text of H-Statements referred to under sections 2 and 3

ŀ	H224 - Extremely flammable liquid and vapor	H341 - Suspected of causing genetic defects
ŀ	 H225 - Highly flammable liquid and vapor 	H350 - May cause cancer
ŀ	H226 - Flammable liquid and vapor	H351 - Suspected of causing cancer
ŀ	 H270 - May cause or intensify fire; oxidizer 	H360 - May damage fertility or the unborn child
ŀ	 H271 - May cause fire or explosion; strong oxidizer 	H361 - Suspected of damaging fertility or the unborn child
ŀ	H272 - May intensify fire; oxidizer	H362 - May cause harm to breast-fed children
ŀ	H290 - May be corrosive to metals	H370 - Causes damage to organs
ŀ	H300 - Fatal if swallowed	H371 - May cause damage to organs
ŀ	H301 - Toxic if swallowed	H372 - Causes damage to organs through prolonged or repeated
ŀ	H302 - Harmful if swallowed	exposure
ŀ	 H304 - May be fatal if swallowed and enters airways 	• H373 - May cause damage to organs through prolonged or repeated
ŀ	H310 - Fatal in contact with skin	exposure
ŀ	H311 - Toxic in contact with skin	H400 - Very toxic to aquatic life
ŀ	H312 - Harmful in contact with skin	H410 - Very toxic to aquatic life with long lasting effects
ŀ	H314 - Causes severe skin burns and eye damage	H411 - Toxic to aquatic life with long lasting effects
ŀ	H315 - Causes skin irritation	H412 - Harmful to aquatic life with long lasting effects
ŀ	H317 - May cause an allergic skin reaction	H413 - May cause long lasting harmful effects to aquatic life.
ŀ	H318 - Causes serious eye damage	• H360Df - May damage the unborn child. Suspected of damaging fertility
ŀ	H319 - Causes serious eye irritation	H360D - May damage the unborn child
ŀ	H330 - Fatal if inhaled	H360FD - May damage fertility. May damage the unborn child
ŀ	• H331 - Toxic if inhaled	H360F - May damage fertility
ŀ	• H332 - Harmful if inhaled	H361d - Suspected of damaging the unborn child
- 1	 H334 - May cause allergy or asthma symptoms or breathing difficulties 	• H361fd - Suspected of damaging fertility. Suspected of damaging the
ļ	f inhaled	unborn child
ŀ	H335 - May cause respiratory irritation	H361f - Suspected of damaging fertility
- 1	H336 - May cause drowsiness or dizziness	• EUH066 - Repeated exposure may cause skin dryness or cracking
ŀ	H340 - May cause genetic defects	EUH210 - Safety data sheet available on request.
		EUH208 - May produce an allergic reaction

Exposure scenario

No information available.

Issuing Date: 05-27-2015

Revision Date: 05-27-2015

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.